

TUBOS EM INOX COM E SEM COSTURA

Tubos em Inox Com e Sem Costura

DIÂMETRO		ESPESSURA DA PAREDE				
NOMINAL	EXTERNO	SCH 5s.	SCH 10s.	SCH 40s.	SCH 80s.	SCH 160S.
1/8"	10.29	-	1.24	1.73	2.41	-
1/4"	13.72	-	1.65	2.24	3.02	3.30
3/8"	17.15	-	1.65	2.31	3.20	4.75
1/2"	21.30	1.65	2.11	2.77	3.73	4.78
3/4"	26.70	1.65	2.11	2.87	3.91	5.56
1"	33.40	1.65	2.77	3.38	4.55	6.36
1.1/4"	42.20	1.65	2.77	3.56	4.85	6.35
1.1/2"	48.30	1.65	2.77	3.68	5.08	7.14
2"	60.30	1.65	2.77	3.91	5.54	8.74
2.1/2"	73.00	2.11	3.05	4.16	7.01	9.52
3"	88.90	2.11	3.05	5.49	7.62	11.13
3.1/2"	101.60	2.11	3.05	5.74	8.08	-
4"	114.30	2.11	3.05	6.02	8.56	13.49
5"	141.30	2.77	3.40	6.55	9.53	15.88
6"	168.30	2.77	3.40	7.11	10.97	18.26
8"	219.10	2.77	3.76	8.18	12.70	23.01
10"	273.10	3.40	4.19	9.27	12.70	28.57
12"	323.90	3.96	4.57	9.53	12.70	33.32
14"	355.60	3.96	4.78			
16"	406.40	4.20	4.78			
18"	457.20	4.20	4.78			
20"	508.00	4.78	5.54			
22"	558.80	4.78	6.35			
24"	609.60	5.54	6.35			

Dimensões em mm.

Tubos em Inox Padrão OD

DIÂMETRO		ESPESSURA DA PAREDE (MM) X PESO POR METRO (KG/M)						
Polegadas	MM.	1.00	1.20	1.24	1.50	2.00	2.50	3.00
1/4"	6.35	0.13	-	0.15	-	-	-	-
3/8"	9.53	0.21	0.25	0.25	-	-	-	-
1/2"	12.70	0.29	0.34	0.35	0.41	0.54	-	-
5/8"	15.87	0.37	0.44	0.45	0.53	0.69	-	-
3/4"	19.05	0.45	0.53	0.55	0.65	0.84	-	-
7/8"	22.22	0.53	0.63	-	0.76	1.01	-	-
1"	25.40	0.60	0.72	-	0.88	1.15	1.41	1.68
1.1/4"	31.75	0.76	0.90	-	1.12	1.47	1.80	2.16
1.1/2"	38.10	0.91	1.09	-	1.35	1.78	2.19	2.60
1.3/4"	44.45	-	-	-	1.61	2.13	-	-
2"	50.80	1.23	1.47	-	1.82	2.41	2.98	3.54
2.1/2"	63.50	1.54	1.84	-	2.29	3.03	3.76	4.48
3"	76.20	1.85	2.22	-	2.76	3.66	4.54	5.42
4"	101.60	-	2.97	-	3.70	4.91	6.11	7.29
5"	127.00	-	-	-	4.79	6.16	7.68	9.17
6"	152.40	-	-	-	5.75	7.42	9.24	11.05
8"	203.20	-	-	-	-	9.92	12.37	14.81
10"	254.00	-	-	-	-	12.43	15.50	18.57
12"	304.80	-	-	-	-	14.93	18.64	22.33

Dimensões em mm.

Tubos de Aço Trefilado Sem Costura

TUBOS EM AÇO CARBONO PADRÃO OD							
DN EXTERNO	DN INTERNO	PAREDE	PRESSÃO - (BAR)	DN EXTERNO	DN INTERNO	PAREDE	PRESSÃO - (BAR)
6,0 mm	3,0 mm	1,5 mm	0 a 500	22,0 mm	17,0 mm	2,5 mm	0 a 227
6,0 mm	4,0 mm	1,0 mm	0 a 333	22,0 mm	18,0 mm	2,0 mm	0 a 181
6,4 mm	3,4 mm	1,5 mm	0 a 468	25,0 mm	17,5 mm	3,75 mm	0 a 300
6,4 mm	4,2 mm	1,1 mm	0 a 343	25,0 mm	19,0 mm	3,0 mm	0 a 240
8,0 mm	5,0 mm	1,5 mm	0 a 375	25,0 mm	21,0 mm	2,0 mm	0 a 160
8,0 mm	6,0 mm	1,0 mm	0 a 250	25,4 mm	17,5 mm	3,75 mm	0 a 311
9,5 mm	5,5 mm	2,0 mm	0 a 421	25,4 mm	19,0 mm	3,0 mm	0 a 236
9,5 mm	6,3 mm	1,6 mm	0 a 336	25,4 mm	21,0 mm	2,0 mm	0 a 157
10,0 mm	6,0 mm	2,0 mm	0 a 400	28,0 mm	19,0 mm	4,5 mm	0 a 321
10,0 mm	7,0 mm	1,5 mm	0 a 300	28,0 mm	22,0 mm	3,0 mm	0 a 214
12,0 mm	6,0 mm	2,0 mm	0 a 333	28,0 mm	24,0 mm	2,0 mm	0 a 142
12,0 mm	9,0 mm	1,5 mm	0 a 250	30,0 mm	21,0 mm	4,5 mm	0 a 300
12,7 mm	6,7 mm	2,0 mm	0 a 312	30,0 mm	24,0 mm	3,0 mm	0 a 200
12,7 mm	9,7 mm	1,5 mm	0 a 314	30,0 mm	25,0 mm	2,5 mm	0 a 166
14,0 mm	10,0 mm	2,0 mm	0 a 285	32,0 mm	22,0 mm	5,0 mm	0 a 312
14,0 mm	11,0 mm	1,5 mm	0 a 214	32,0 mm	24,0 mm	4,0 mm	0 a 250
15,0 mm	11,0 mm	2,0 mm	0 a 266	32,0 mm	27,0 mm	2,5 mm	0 a 156
15,0 mm	12,0 mm	1,5 mm	0 a 200	35,0 mm	24,0 mm	5,5 mm	0 a 314
16,0 mm	11,0 mm	2,5 mm	0 a 312	35,0 mm	27,0 mm	4,0 mm	0 a 228
16,0 mm	13,0 mm	1,5 mm	0 a 187	35,0 mm	30,0 mm	2,5 mm	0 a 142
18,0 mm	13,0 mm	2,5 mm	0 a 277	38,0 mm	26,0 mm	6,0 mm	0 a 315
18,0 mm	15,0 mm	1,5 mm	0 a 166	38,0 mm	30,0 mm	4,0 mm	0 a 210
19,0 mm	14,0 mm	2,5 mm	0 a 263	38,0 mm	32,0 mm	3,0 mm	0 a 157
19,0 mm	16,0 mm	1,5 mm	0 a 157	42,0 mm	29,0 mm	6,5 mm	0 a 300
20,0 mm	14,0 mm	3,0 mm	0 a 300	42,0 mm	34,0 mm	4,0 mm	0 a 190
20,0 mm	16,0 mm	2,0 mm	0 a 200	42,0 mm	38,0 mm	2,0 mm	0 a 95
BARRAS COMI PADRÃO DE 6 MT							

Tubos de Aço Trefilado Sem Costura

TUBOS EM AINOX PADRÃO OD SEM COSTURA

DN EXTERNO	DN INTERNO	PAREDE	PRESSAO - (BAR)
6,0 mm	4,0 mm	1,0 mm	0 a 410
6,4 mm	4,4 mm	1,0 mm	0 a 390
8,0 mm	6,0 mm	1,0 mm	0 a 300
9,5 mm	7,5 mm	1,0 mm	0 a 260
10,0 mm	8,0 mm	1,0 mm	0 a 250
12,0 mm	9,5 mm	1,25 mm	0 a 250
12,7 mm	9,7 mm	1,5 mm	0 a 300
16,0 mm	12,5 mm	1,75 mm	0 a 270

TUBOS EM AINOX PADRÃO OD COM COSTURA

DN EXTERNO	DN INTERNO	PAREDE	PRESSAO - (BAR)
6,0 mm	4,0 mm	1,0 mm	0 a 410
6,4 mm	4,4 mm	1,0 mm	0 a 390
8,0 mm	6,0 mm	1,0 mm	0 a 300
9,5 mm	7,5 mm	1,0 mm	0 a 260
10,0 mm	8,0 mm	1,0 mm	0 a 250
12,0 mm	9,5 mm	1,25 mm	0 a 250
12,7 mm	9,7 mm	1,5 mm	0 a 300
16,0 mm	12,5 mm	1,75 mm	0 a 270